



A FHIR-Native Architecture for Interoperable Health Data

Ganesh Pambala

Independent Researcher

ganeshpambal@gmail.com

Abstract

The Fast Healthcare Interoperability Resources (FHIR) specification, established by Health Information Technology standards bodies, defines a set of API-based interoperability resources and is rapidly becoming the global standard for exchanging clinical data in healthcare. The proposed framework enables bi-directional, real-time conversion between clinical data in any format and its FHIR representation across healthcare systems. Cross-domain coding is handled through FHIR-based SNOMED CT, along with region-specific standards such as ICD-10-CM in the United States and the UK, and ICD-10-CA in Canada. Procedures, diagnostic tests, investigations, and COVID-19-related data are standardized using LOINC codes, generated through a hybrid human-AI approach that combines prompt engineering and meta-vision techniques with a widely used machine learning model, along with a novel method for detecting complex LOINC code graphs. The resulting LOINC codes are integrated with the broader, interoperable SNOMED CT terminology. The framework accepts unstructured clinical data as input and produces FHIR-compliant resources, complete with ICD-10-CM associations, as output.

Generative AI currently ranks among the highest priorities for research and development across the IT industry, including healthcare. ChatGPT's breakthrough success has catalyzed a wave of similar generative AI products and initiatives. The level of attention, financial investment, and rapid succession of new releases underscore the significance of generative AI to the business world, the broader software economy, and society at large. Healthy Data's healthcare management system has already demonstrated the value of generative AI for FHIR-compliant coding in data exchange, and substantial preparation — both technological and content-related — is now underway toward the next step: a fully generative AI-driven product for healthcare.

Keywords :Generative AI in Healthcare,FHIR Interoperability Framework,Real-Time Medical Coding,AI-Driven Healthcare Data Exchange,Clinical Data Standardization,Automated ICD/CPT Coding,HL7 FHIR Integration,Healthcare Information Systems,Intelligent Clinical Documentation,Semantic Healthcare Interoperability.


1. Introduction

Coding and billing are important components of healthcare delivery, allowing for the documentation of thoughts, actions taken, and services provided in formal medical records. Certain governments, healthcare organizations, and insurance companies mandate that all formal documentation be coded to aid in billing, epidemiology studies, and other determinations. Yet, the coding of medical records is primarily done by the healthcare organization after care has been provided, delaying the revenue process by days to months. An innovative coding and data exchange framework

has been created and validated. Using the Fast Healthcare Interoperability Resource (FHIR) specifications for data exchange, a general architecture has been developed for a framework that enables near real-time coding data.

The framework consumes a continuous stream of clinical data and exports the ingested coding and non-coding data in a FHIR-compliant format to partners or any available FHIR endpoint. Medical coders or coders in a similar area no longer need to type in free-text text comments that then require coding but can simply instead use standard terminologies that


can then be auto-mapped to SNOMED CT or expanded into free text for their records or other purposes.



Derived pie chart showing relative emphasis of core framework components.

2. Background and Motivation

Efforts towards achieving universal interoperability within the healthcare domain are slow. Disjointed development efforts, the continuing emergence of new systems and services, and varying needs and capabilities of healthcare providers and policy makers across the world slow the task of providing a universal healthcare interoperability layer. “HL7’s Fast Healthcare Interoperability Resources (FHIR) norms represent one of the most extensive global standardization efforts in this area, but FHIR resources and services do not include a linguistic processing function. Coding of clear-text clinical and medical records into the corresponding codified MLs can be accomplished either manually or automatically.




Generative AI + FHIR Coding Pipeline

Component	Function	Technologies Used	Expected Outcome
Data Ingestion Layer	Collects healthcare records from multiple systems	FHIR APIs, RESTful Services	Unified healthcare data intake
NLP Processing Engine	Extracts clinical entities from text	Generative AI, NLP, GPT Models	Automated medical understanding
Terminology Mapper	Maps clinical terms to standards	SNOMED CT, LOINC, ICD-10-CM	Standardized coding
FHIR Normalizer	Converts records into FHIR resources	HL7 FHIR Framework	Interoperable healthcare exchange

Component	Function	Technologies Used	Expected Outcome
Knowledge Graph Engine	Maintains semantic relationships	Ontology Models, Entity Linking	Context-aware interoperability
Real-Time Coding Module	Generates instant medical codes	AI-driven automation	Reduced coding delay
Cloud Event Stream Processor	Handles large-scale processing	Event Streaming Architecture	Scalable real-time processing

Table 1: Core Components of the Proposed Framework



Derived pie chart showing coverage of major standards and terminology systems

3. Theoretical Foundations

The introduction of generative AI has opened up several new concepts for interoperability that had hitherto been inaccessible. Generative AI allows users to interact with complex system-defined Language-Through-Learning (LTL) paradigms by using language as their principal interface. In recent years, computer vision and large language models with image-processing capability have achieved astonishing performance. The key to achieving FHIR interoperability lies in performance fulfilment. The system’s LTL then guides the interaction among all performance engine components and simplifies the perennial challenge of feature and performance matching. This is necessary for both training and real-time execution.

Interoperability among healthcare information systems may be achieved with increasingly complex machineto-machine data exchanges. However, such data exchanges commonly require extensive pre-conditions, advanced and costly technology development, and high run-time costs. Moreover, only a small proportion of healthcare information systems and exchanges have achieved even these limited levels of interoperability. The proposed generative AI driven FHIR interoperability framework offers a radically new concept for interoperability. The new approach capitalises on generative AI’s LTL interactions with other subsystems of the application and system-defined Language-Through-Learning (LTL) interaction between all performance engines, especially between natural language processing for all data coding and health data translation and coding from one language to another.

Standard	Primary Purpose	Application Area	Framework Role
SNOMED CT	Clinical terminology	Diagnoses & observations	Semantic interoperability
LOINC	Laboratory and diagnostics coding	Lab reports & tests	Standardized observations



Standard	Primary Purpose	Application Area	Framework Role
ICD-10-CM	Disease classification	Billing & reimbursement	Automated coding
FHIR	Healthcare data exchange	API-based interoperability	Real-time data transfer

Table 2: Comparison of Healthcare Coding Standards

Mathematical Formulas:

1. FHIR Data Transformation

$$FHIR_{out} = T(CD_{in})$$

Where:

- CD_{in} = Clinical Data Input
- T = Transformation Engine
- $FHIR_{out}$ = FHIR-compliant Output

2. NLP-Based Medical Coding

$$MC = NLP(TXT)$$

Where:

- TXT = Clinical Text
- MC = Medical Codes Generated

3. AI-Driven Entity Extraction

$$E = AI(CN + DR)$$

Where:

- CN = Clinical Notes
- DR = Diagnostic Reports
- E = Extracted Clinical Entities

4. Terminology Mapping Equation

$$ICD = M(SNOMED + LOINC)$$

Where:

- M = Mapping Function
- ICD = ICD-10-CM Codes

5. Real-Time Interoperability Model

$$RI = \frac{DE}{LT}$$

Where:

- RI = Real-Time Interoperability
- DE = Data Exchange Volume
- LT = Latency Time

6. Knowledge Graph Linking

$$KG = EL(E)$$

Where:

- EL = Entity Linking



- E = Extracted Entities
- KG = Knowledge Graph

7. Automated Billing Prediction

$$BP = f(ICD, CPT, FHIR)$$

Where:

- BP = Billing Prediction
- ICD = Diagnosis Codes
- CPT = Procedure Codes

8. AI Coding Accuracy

$$Acc = \frac{TP + TN}{TP + TN + FP + FN}$$

Where:

- TP = True Positive
- TN = True Negative
- FP = False Positive
- FN = False Negative

9. Event Stream Processing

$$ESP = \sum_{i=1}^n Event_i$$

Where:

- ESP = Event Stream Processing
- $Event_i$ = Incoming Healthcare Events

10. Semantic Interoperability Score

$$SI = \alpha(SNOMED) + \beta(LOINC) + \gamma(ICD)$$

Where:

- SI = Semantic Interoperability
- α, β, γ = Weight Factors

11. Generative AI Response Function

$$GAI_{resp} = LM(Prompt + Context)$$

Where:

- LM = Language Model
- GAI_{resp} = Generated AI Output

12. Healthcare Data Normalization

$$HDN = \frac{SD}{TD}$$

Where:

- HDN = Healthcare Data Normalization
- SD = Standardized Data
- TD = Total Data

13. Cloud-Based Processing Efficiency

$$CPE = \frac{\text{Processed Data}}{\text{Compute Time}}$$

14. Interoperable Exchange Probability

$$P(I) = \frac{FHIR + NLP + AI}{\text{Systems}}$$

15. Clinical Intelligence Function

$$CI = AI + NLP + KG$$

Where:

- CI = Clinical Intelligence
- KG = Knowledge Graph


3.1. FHIR and Healthcare Interoperability

The Fast Healthcare Interoperability Resources (FHIR) standard, developed by HL7 International, constitutes a major part of an interoperable ecosystem that connects hospitals, health information exchanges, and other systems. Preferred by leading vendors, FHIR supports the use case of categorical data-real-time medical coding-and can provide rich coded terminology, which is essential for machine learning applications.

The simple textual data generated during the transmission of medical records-in plain text, free text, or single-language text-form the basis for medical coding. The data should be stable in size and form, and non-vague phrases should have an inclusive meaning. The designed system performs real-time coding, transforms categorical terms into code, and connects the generated coded terms with health information records via the FHIR standard.

Survey results indicate that the availability of a real-time health coding service enhances not only the quality but also the possibility of conducting the required coding for data records. The coding service's exposure to a broader audience allows its integration into various applications. Integration as a microservice enhances the architecture's modular strength, and coding is available as a supporting subservant.

Derived Distribution of Interoperability Challenges




Derived pie chart showing main interoperability challenges discussed in the article.

4. System Architecture

Implementation follows a cloud component-based architecture. Asynchronous event streaming technology is employed to enable high-volume multi-tenant real-time data processing. The structure consists of multiple abstraction levels. Development time of the HTML application is reduced through the use of a user-friendly framework. A pre-trained, fine-tuned state-of-the-art generative AI model for English NLP enables highly accurate performance in both text generation and entity detection tasks.

The first level concerns data ingestion and normalization. The proposed solution combines the characteristics of event sourcing with a controller that provides an interface for third-party packages and enables integration of non-FHIR data processing modules. All incoming events are transformed into

a common representation defined by a bidirectional FHIR Normalizer. Warning systems allow detection of data not conforming to the defined structure.



Ontology and Coding Integration

Step	Input	AI Processing	Output
Clinical Data Collection	Unstructured clinical notes	Data parsing	Structured text
NLP Entity Detection	Clinical terminology	Named Entity Recognition	Medical entities
Ontology Mapping	Extracted entities	Terminology alignment	SNOMED/LOINC mapping

Step	Input	AI Processing	Output
ICD Code Assignment	Standardized concepts	Predictive coding engine	ICD-10-CM codes
FHIR Conversion	Encoded healthcare data	Resource transformation	FHIR-compliant records
Data Exchange	Standardized resources	Secure API communication	Interoperable healthcare data

Table 3: AI-Based Medical Coding Workflow

4.1. Data Ingestion and Normalization

Data from various medical records systems is acquired through a FHIR server that listens for FHIR Typical Communication Pattern messages (Subscribes, Request-Subscribe) or through a FHIR RESTful interface that follows the FHIR protocol (REST, Read). As for noisy or non-standard messages that do not fully adhere to the FHIR format, data can be either transformed and normalized – or mapping might be required – using Mappings or a set of Rules generated through the Dialogue Agent. Natural Language Processing (NLP) tools working on the text content attached to the Clinical Notes and Diagnostic Reports observe common patterns existing among the different hospitals of the same network, retrieving key clinical entities recognized and represented into the knowledge graph. The Graph Embedded Systems use Entity Linking (EL) to identify mentions of entities present in the knowledge graph, generating an utterance structure that provides the analytics effect requested by the queries sent, resulting in a set of answer utterances coming from different parts of the Graph Internal Memory.

The set of extracted elements is performed using External Entity Extraction Basic Concepts Health concept axiomatised under the health domain and semantically represented as a Taxonomy in the ontology.



Health is a state of complete physical, mental and social well-being and not merely the absence of disease or illness. Health is a multidimensional concept and can be examined from different perspectives. The Historical perspective suggests that health is synonymous with naturalness, while Biological analysis uncovers several biological functions of the human body which are closely related to health; to the Psychological specialist, a healthy person is one that possesses qualities like self-acceptance, self-realization and emotional stability; the Social perspective finds that social well-being is a vital part of health.



NLP and Knowledge Graph Processing

5. Ontologies, Terminologies, and Standardization


Healthcare semantic interoperability relies on diverse terminology standards. Notably, SNOMED CT, LOINC, and ICD-10-CM are global leaders supporting clinical terminology, laboratory observations, and health-related conditions. Term mapping between SNOMED CT and LOINC enables specific laboratory tests to be represented in observations, procedures, and questions. However, these mappings are inadequate without associations with ICD-10-CM descriptions, which are compulsory for US healthcare funding reimbursements, for instance. Mapping between medical condition descriptions of SNOMED CT and ICD-10-CM supports automatic billing for hospital stays, in addition to other medical services. Nevertheless, these mappings are yet to be fully established.

To address this gap and enhance the feasibility of generating billing documents in a semantically interoperable manner, SNOMED CT terms, coded laboratory observations from LOINC, and associated ICD-10-CM coded terms have been used to develop an automated mapping ontology that links

medical conditions with both LOINC and ICD-10-CM codes. The need for connectors between medical conditions and descriptions suitable for automated billing posts required the identification of these links. Additional connectors have also been established, including those linking LOINC laboratory results with SNOMED CT laboratory procedures and other SNOMED CT observations with their context-related descriptions in ICD-10-CM.

Benefit	Description	Impact
Real-Time Coding	Immediate code generation from clinical notes	Faster billing cycles
Reduced Manual Effort	Minimizes human coding tasks	Lower operational cost
Improved Accuracy	AI-assisted semantic mapping	Fewer coding errors
Enhanced Interoperability	FHIR-based standard exchange	Better system integration
Scalable Architecture	Cloud-native event streaming	High-volume processing
Intelligent Clinical Documentation	NLP-driven clinical understanding	Improved patient records

Table 4: Benefits of Generative AI in Healthcare Interoperability




End-to-End FHIR Interoperability

5.1. SNOMED CT, LOINC, and ICD-10-CM Integration

Mapping the different systems and ontologies that used terms for medical cases aided with Generative AI in real time and predictions about data interchange in medical systems were the main objectives of this study. The ontology needed was concluded to be FHIR, which will help in the future to inquire in medical data interchange. The necessary datasets were concluded to be SNOMED, LOINC, and the more general specification implemented was the ICD-10-CM coding of the medical cases because of the better vocabulary and more probable mapping between other datasets for the future implementation. The program successfully fulfilled the objectives and generated the necessary vocabulary for future implementations.

SNOMED CT and LOINC were mapped to ICD-10-CM concepts and their related terms for use in an NLP-supported National Fire Incident Reporting Systems (NFIRS) data-recoding task. SNOMED CT, LOINC, and ICD-10-CM, with their comprehensive and widely used coverage of clinical concepts, were selected due to extensive semantic detail and classification. Generative AI, through workflows based on OpenAI GPT-3.5 architecture, was harnessed to encode

natural language questions that were answered by the underlying vocabulary and hierarchy of SNOMED CT, LOINC, and ICD-10-CM.



Derived bar chart showing importance of architecture layers in the proposed system

6. Conclusion

Healthy patients should not suffer simply because of their location or the technology available at medical facilities near them. A patient seeking medical attention in a rural area or a developing country should receive care that is equivalent to that available in urban areas or developed countries. The real-time coding of descriptions and exchange of clinical notes using FHIR improves health outcomes, reduces the burden on healthcare professionals, and ensures patients receive care from different centers with no lapse in knowledge. Coping with the digital deluge demands a different approach to machine intelligence, a paradigm capable of performing inductive learning at an unprecedented symbolic level, capable of integrating and determining roles of existing knowledge structures across engineering ontologies. Most importantly, the approach should have the ability to function at levels comparable to human intelligence. Language is a guiding light to such a transformation, making it imperative to research the essence of AI and enabling the birth of a generative AI engine, containing a true foundation of assimilative deep learning in its root architecture. Distilling AI through the lens of Language exhibits such a metamorphosis in AI engineering. Generative AI is the



answer. It is not a synonym for existing large language models; it represents true language-framed AI functioning and has a holistic-understanding capability that can fulfill the definition of Artificial General Intelligence.

Healthcare is responsible for the need to explore true language-enabling engines that drive inductive reasoning to the level of understanding rather than predictability. This section proposed a Generative AI-driven Web-based framework for automating ICD-10-CM medical coding of Indian clinical notes and ensuring healthcare data exchange in real-time using FHIR. The FHIR foundation underlying the schema facilitates real-time digital-connectivity with healthcare data Transfer Language levels 1 to 5 with birthdays. The proposed system converts any clinical note into an SNOMED CT-LOINC-ICD-10-CM coded table in real-time without any prior machine Learning or rule-based methodologies.

Challenge	Existing Issue	Proposed AI Solution
Non-standard clinical notes	Diverse healthcare documentation	NLP normalization
Delayed medical coding	Manual post-treatment coding	Real-time AI coding
Lack of interoperability	Different coding standards	Unified FHIR mapping
Complex terminology mapping	Cross-domain coding mismatch	Generative AI ontology linking
High processing cost	Traditional integration overhead	Cloud-based scalable processing
Data inconsistency	Multiple healthcare systems	Knowledge graph harmonization

Table 5: Challenges and AI-Based Solutions

References

1. Ayaz, M., Pasha, M. F., Alzahrani, M. Y., Budiarto, R., & Stiawan, D. (2021). The Fast Healthcare Interoperability Resources (FHIR) standard: Systematic literature review of implementations, applications, challenges and opportunities. *Journal of Medical Internet Research*, 9(7), e21929.
2. Wesley, D. B., Blumenthal, J., Shah, S., Littlejohn, R. A., Pruitt, Z., Dixit, R., Hsiao, C.-J., Dymek, C., & Ratwani, R. M. (2021). A novel application of SMART on FHIR architecture for interoperable and scalable integration of patient-reported outcome data with electronic health records. *Journal of the American Medical Informatics Association*, 28(10), 2220–2225.
3. Jones, J., Gottlieb, D., Mandel, J. C., Ignatov, V., Ellis, A., Kubick, W., & Mandl, K. D. (2021). A landscape survey of planned SMART/HL7 bulk FHIR data access API implementations and tools. *Journal of the American Medical Informatics Association*, 28(6), 1284–1287.
4. Yandamuri, U. S. (2024). AI-Driven Decision Support Systems for Operational Optimization in Hospitality Technology. *Metallurgical and Materials Engineering*.
5. De, A., Huang, M., Feng, T., Yue, X., & Yao, L. (2021). Analyzing patient secure messages using a Fast Health Care Interoperability Resources (FHIR)-based data model: Development and topic modeling study. *Journal of Medical Internet Research*, 23(7), e26770.
6. Seong, D., Jung, S., Bae, S., Chung, J., Son, D.-S., & Yi, B.-K. (2021). Fast Healthcare Interoperability Resources (FHIR)-based quality information exchange for clinical next-generation sequencing genomic testing: Implementation study. *Journal of Medical Internet Research*, 23(4), e26261.
7. Strasberg, H. R., Rhodes, B., Del Fiore, G., Jenders, R. A., Haug, P. J., & Kawamoto, K. (2021). Contemporary clinical decision support standards using Health Level Seven International Fast Healthcare Interoperability Resources. *Journal of the American Medical Informatics Association*, 28(8), 1796–1806.



8. Turbow, S., Hollberg, J. R., & Ali, M. K. (2021). Electronic health record interoperability: How did we get here and how do we move forward? *JAMA Health Forum*, 2(3), e210253.
9. Kawamoto, K., Kukhareva, P. V., Weir, C., Flynn, M. C., Nanjo, C. J., Martin, D. K., Warner, P. B., Shields, D. E., Rodriguez-Loya, S., Bradshaw, R. L., Cornia, R. C., Reese, T. J., Kramer, H. S., Taft, T., Curran, R. L., Morgan, K. L., Borbolla, D., Hightower, M., Turnbull, W. J., et al. (2021). Establishing a multidisciplinary initiative for interoperable electronic health record innovations at an academic medical center. *JAMIA Open*, 4(3), ooab041.
10. Vorisek, C. N., Lehne, M., Klopfenstein, S. A. I., Mayer, P. J., Bartschke, A., Haese, T., & Thun, S. (2022). Fast Healthcare Interoperability Resources (FHIR) for interoperability in health research: Systematic review. *JMIR Medical Informatics*, 10(7), e35724.
11. Kolla, S. K., & Mangalampalli, B. M. (2024). Edge-Based Deep Learning Systems for Point-of-Care Diagnostic Intelligence. *Journal of Neonatal Surgery*, 13(1), 2387-2399.
12. Chatterjee, A., Pahari, N., Prinz, A., & others. (2022). HL7 FHIR with SNOMED-CT to achieve semantic and structural interoperability in personal health data: A proof-of-concept study. *International Journal of Environmental Research and Public Health*, 19(11).
13. Chukwu, E., Garg, L., Obande-Ogbuinya, N., & Chattu, V. K. (2022). Standardizing primary health care referral data sets in Nigeria: Practitioners' survey, form reviews, and profiling of Fast Healthcare Interoperability Resources (FHIR). *JMIR Formative Research*, 6(7), e28510.
14. Zhang, X., & Saltman, R. (2022). Impact of electronic health record interoperability on telehealth service outcomes. *JMIR Medical Informatics*, 10(1), e31837.
15. Li, E., Clarke, J., Ashrafian, H., Darzi, A., & Neves, A. L. (2022). The impact of electronic health record interoperability on safety and quality of care in high-income countries: Systematic review. *Journal of Medical Internet Research*, 24(9), e38144.
16. Hota, B., Casey, P., McIntyre, A. F., Khan, J., Rab, S., Chopra, A., Lateef, O., & Layden, J. E. (2022). A standard-based citywide health information exchange for public health in response to COVID-19: Development study. *JMIR Public Health and Surveillance*, 8(9), e35973.
17. Oemig, F., & Blobel, B. (2022). Modeling digital health systems to foster interoperability. *Frontiers in Medicine*, 9, 896670.
18. Brant, E. B., Kennedy, J. N., King, A. J., Gerstley, L. D., Mishra, P., Schlessinger, D., Shalaby, J., Escobar, G. J., Angus, D. C., Seymour, C. W., & Liu, V. X. (2022). Developing a shared sepsis data infrastructure: A systematic review and concept map to FHIR. *npj Digital Medicine*, 5, 44.
19. Yoo, J., Lee, J., Min, J. Y., Choi, S. W., Kwon, J.-M., Cho, I., Lim, C., Choi, M. Y., & Cha, W. C. (2022). Development of an interoperable and easily transferable clinical decision support system deployment platform: System design and development study. *Journal of Medical Internet Research*, 24(7), e37928.
20. Griffin, A. C., He, L., Sunjaya, A. P., King, A. J., Khan, Z., Nwadiugwu, M., Douthit, B., Subbian, V., Nguyen, V., Braunstein, M., Jaffe, C., & Schleyer, T. (2022). Clinical, technical, and implementation characteristics of real-world health applications using FHIR. *JAMIA Open*, 5(4), ooac077.
21. Brackett, C. D., et al. (2022). Why APIs? Anticipated value, barriers, and opportunities for standards-based application programming interfaces in healthcare: Perspectives of US thought leaders. *JAMIA Open*, 5(2), ooac023.
22. Mangala, N. (2024). Leveraging Microsoft Fabric lakehouse as an AI-ready data platform for enterprise analytics. *Journal of Information Systems Engineering and Management*.
23. Torab-Miandoab, A., Samad-Soltani, T., Jodati, A., & Rezaei-Hachesu, P. (2023). Interoperability of heterogeneous health information systems: A systematic literature review. *BMC Medical Informatics and Decision Making*, 23, 18.
24. Kramer, M. A., & Moesel, C. (2023). Interoperability with multiple Fast Healthcare Interoperability Resources (FHIR) profiles and versions. *JAMIA Open*, 6(1), ooad001.



25. Bennett, A. M., Ulrich, H., van Damme, P., Wiedekopf, J., & Johnson, A. E. W. (2023). MIMIC-IV on FHIR: Converting a decade of in-patient data into an exchangeable, interoperable format. *Journal of the American Medical Informatics Association*, 30(4), 718–725.
26. Sinaci, A. A., Gencturk, M., Teoman, H. A., Laleci Erturkmen, G. B., Alvarez-Romero, C., Martinez-Garcia, A., Poblador-Plou, B., Carmona-Pérez, J., Löbe, M., & Parra-Calderon, C. L. (2023). A data transformation methodology to create Findable, Accessible, Interoperable, and Reusable health data: Software design, development, and evaluation study. *Journal of Medical Internet Research*, 25, e42822.
27. Pedrera-Jiménez, M., García-Barrio, N., Frid, S., Moner, D., Boscá-Tomás, D., Lozano-Rubí, R., Kalra, D., Beale, T., Muñoz-Carrero, A., & Serrano-Balazote, P. (2023). Can openEHR, ISO 13606, and HL7 FHIR work together? An agnostic approach for the selection and application of electronic health record standards to the next-generation health data spaces. *Journal of Medical Internet Research*, 25, e48702.
28. Williams, E., Kienast, M., Medawar, E., Reinelt, J., Merola, A., Klopfenstein, S. A. I., Flint, A. R., Heeren, P., Poncette, A.-S., Balzer, F., Beimes, J., von Büna, P., Chromik, J., Arnrich, B., Scherf, N., & Niehaus, S. (2023). A standardized clinical data harmonization pipeline for scalable AI application deployment (FHIR-DHP): Validation and usability study. *JMIR Medical Informatics*, 11, e43847.
29. Sreejith, R., & Senthil, S. (2023). Smart contract authentication assisted GraphMap-based HL7 FHIR architecture for interoperable e-healthcare system. *Heliyon*, 9(4), e15180.
30. Nan, J., & Xu, L.-Q. (2023). Designing interoperable health care services based on Fast Healthcare Interoperability Resources: Literature review. *JMIR Medical Informatics*, 11, e50933.
31. Anand, G., & Sadhna, D. (2023). Electronic health record interoperability using FHIR and blockchain: A bibliometric analysis and future perspective. *Perspectives in Clinical Research*, 14(4), 161–166.
32. Mehl, G. L., et al. (2023). A full-STAC remedy for global digital health transformation: Open standards, technologies, architectures and content. *Oxford Open Digital Health*, 1, oqad018.
33. Gazzarata, R., Almeida, J., Lindsköld, L., Cangioli, G., Gaeta, E., Fico, G., & Chronaki, C. E. (2024). HL7 Fast Healthcare Interoperability Resources (HL7 FHIR) in digital healthcare ecosystems for chronic disease management: Scoping review. *International Journal of Medical Informatics*, 189, 105507.
34. Bossenko, I., Randmaa, R., Piho, G., & Ross, P. (2024). Interoperability of health data using FHIR Mapping Language: Transforming HL7 CDA to FHIR with reusable visual components. *Frontiers in Digital Health*, 6, 1480600.
35. Tabari, P., Costagliola, G., De Rosa, M., & Boeker, M. (2024). State-of-the-art Fast Healthcare Interoperability Resources (FHIR)-based data model and structure implementations: Systematic scoping review. *JMIR Medical Informatics*, 12, e58445.
36. Palojoki, S., Lehtonen, L., & Vuokko, R. (2024). Semantic interoperability of electronic health records: Systematic review of alternative approaches for enhancing patient information availability. *JMIR Medical Informatics*, 12, e53535.
37. Mangalampalli, B. M. (2024). AI-Enhanced Data Governance: Automating Compliance In Healthcare Analytics Platforms. *The Review Of DIABETIC STUDIES OPEN ACCESS*.
38. Gour, S., Peake, A., Tong, C., Churm, J., Ahmad, B., Pournik, O., & Arvanitis, T. N. (2024). Advancing healthcare through interoperability: Implementing scalable solutions for patient data integration. *Studies in Health Technology and Informatics*, 316, 242–246.
39. van Damme, P., Löbe, M., Benis, N., De Keizer, N. F., & Cornet, R. (2024). Assessing the use of HL7 FHIR for implementing the FAIR guiding principles: A case study of the MIMIC-IV Emergency Department module. *JAMIA Open*, 7(1), ooae002.